



Cisco Small Business Line Card

| Category | SKU | Product Description | Service SKU |
|---------------------------------------|--|---|--------------|
| Gigabit Ethernet Switches | | | |
| Unmanaged Desktop | SD2005 | 5 10/100/1000 ports | CON-SBS-SVC1 |
| | SD2008T | 8 10/100/1000 ports | CON-SBS-SVC2 |
| Unmanaged Rack Mount | SR2016T | 16 10/100/1000 ports | CON-SBS-SVC1 |
| | SR2024T | 22 10/100/1000 ports and 2 combo* mini-GBIC ports | CON-SBS-SVC1 |
| | SR2024CT | 22 10/100/1000 ports and 2 combo mini-GBIC ports, Compact Size | CON-SBS-SVC1 |
| Lightly Managed (Smart Switch) | SLM2008T | 8 10/100/1000 ports | CON-SBS-SVC2 |
| | SLM2008PT | 8 10/100/1000 ports with PoE | CON-SBS-SVC2 |
| | SLM20216T | 16 10/100/1000 ports and 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| | SLM2024T | 24 10/100/1000 ports and 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| | SLM2024PT | 24 10/100/1000 ports with PoE and 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| | SLM2048T | 48 10/100/1000 ports and 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| Managed | SGE2000 | 20 10/100/1000 ports and 4 combo mini-GBIC ports, Stackable up to 192 ports in stack | CON-SBS-SVC2 |
| | SGE2000P | 20 10/100/1000 ports with PoE and 4 combo mini-GBIC ports, Stackable up to 192 ports in stack | CON-SBS-SVC2 |
| | SGE2010 | 44 10/100/1000 ports and 4 combo mini-GBIC ports, Stackable up to 192 ports in stack | CON-SBS-SVC3 |
| | SGE2010P | 44 10/100/1000 ports with PoE and 4 combo mini-GBIC ports, Stackable up to 192 ports | CON-SBS-SVC3 |
| | SRW2008-K9 | 8 10/100/1000 ports and 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| | SRW2008MP-K9 | 8 10/100/1000 ports with Maximum PoE and 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| | SRW2008P-K9 | 8 10/100/1000 ports with PoE and 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| | SRW2016-K9 | 18 10/100/1000 ports and 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| | SRW2024-K9 | 26 10/100/1000 ports and 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| | SRW2024P-K9 | 26 10/100/1000 ports with PoE and 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| SRW2048-K9 | 50 10/100/1000 ports and 2 combo mini-GBIC ports | CON-SBS-SVC2 | |
| Fast Ethernet Switches | | | |
| Unmanaged Desktop | SD205T | 5 10/100 ports | CON-SBS-SVC1 |
| | SD208T | 8 10/100 ports | CON-SBS-SVC1 |
| | SD208P | 8 10/100 ports with PoE | CON-SBS-SVC1 |
| | SD216T | 16 10/100 ports | CON-SBS-SVC1 |
| Unmanaged Rack Mount | SR216T | 16 10/100 ports | CON-SBS-SVC1 |
| | SR224T | 24 10/100 ports | CON-SBS-SVC1 |
| | SR224GT | 24 10/100 ports and 2 combo mini-GBIC ports | CON-SBS-SVC1 |
| Lightly Managed (Smart Switch) | SLM224GT | 24 10/100 ports and 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| | SLM224PT | 24 10/100 ports with PoE and 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| | SLM248GT | 48 10/100 ports and 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| | SLM248PT | 48 10/100 ports with PoE and 2 combo mini-GBIC ports | CON-SBS-SVC2 |

| | | | |
|--|--|--|--------------|
| Managed | SFE2000 | 24 10/100 ports and 2 10/100/1000 + 2 combo mini-GBIC ports, Stackable up to 192 ports in stack | CON-SBS-SVC2 |
| | SFE2000P | 24 10/100 ports with PoE and 2 10/100/1000 + 2 combo mini-GBIC ports, Stackable up to 192 ports in stack | CON-SBS-SVC2 |
| | SFE2010 | 48 10/100 ports and 2 10/100/1000 + 2 mini-GBIC ports, Stackable up to 192 ports in stack | CON-SBS-SVC2 |
| | SFE2010P | 48 10/100 PoE ports and 2 10/100/1000 + 2 mini-GBIC ports, Stackable up to 192 ports in stack | CON-SBS-SVC2 |
| | SRW208-K9 | 8 10/100 ports | CON-SBS-SVC2 |
| | SRW208G-K9 | 8 10/100 ports and 2 combo mini-GBIC port | CON-SBS-SVC2 |
| | SRW208MP-K9 | 8 10/100 ports with Maximum PoE and 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| | SRW208P-K9 | 8 10/100 ports with PoE and 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| | SRW224G4-K9 | 24 10/100 ports and 2 10/100/000 + 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| | SRW224G4P-K9 | 24 10/100 ports with PoE and 2 10/100/1000 + 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| | SRW248G4-K9 | 48 10/100 ports and 2 10/100/1000 + 2 combo mini-GBIC ports | CON-SBS-SVC2 |
| SRW248G4P-K9 | 48 10/100 ports with PoE and 2 10/100/1000 + 2 combo mini-GBIC ports | CON-SBS-SVC2 | |
| * Dual-purpose port and combo mini-GBIC slot have one 10/100/1000 Ethernet port and 1 mini-GBIC/SFP based Gigabit Ethernet slot, 1 port active at a time | | | |
| Network Accessories | | | |
| SFP Transceivers | MGBBX1 | Gigabit Ethernet BX mini-GBIC SFP transceiver, 1310 nm wavelength, for single-mode fiber, distances up to 40 km | None |
| | MGBLH1 | Gigabit Ethernet LH mini-GBIC SFP transceiver, 1310 nm wavelength, for single-mode fiber, distances up to 500 m or 40 km | None |
| | MGBLX1 | Gigabit Ethernet LX mini-GBIC SFP transceiver, 1310 nm wavelength, for single-mode fiber, distances up to 10 km | None |
| | MGBSX1 | Gigabit Ethernet SX mini-GBIC SFP transceiver, 850 nm wavelength, for multimode fiber, distances up to 220 or 550 m | None |
| | MGBT1 | Gigabit Ethernet 1000BASE-T mini-GBIC SFP transceiver, category 5 copper, for distances up to 100 m | None |
| | MFEBX1 | 100BASE-BX-20U mini-GBIC SFP transceiver, 1310 nm wavelength, for single-mode fiber, distances up to 20 km | None |
| | MFEFX1 | 100BASE-FX mini-GBIC SFP transceiver, 1310-nm wavelength for multimode fiber, distances up to 10 km | None |
| | MFELX1 | 100BASE-LX mini-GBIC SFP transceiver, 1310-nm wavelength for single-mode fiber, distances up to 2 km | None |
| Routing | | | |
| | RVS4000 | 4-port Gigabit VPN Security Router (Cisco ProtectLink Web optional - see license below) | CON-SBS-SVC2 |
| | RV042 | 4-port Dual WAN VPN Router (Cisco ProtectLink Web optional - see license below) | CON-SBS-SVC2 |
| | RV082 | 8-port Dual WAN VPN Router (Cisco ProtectLink Web optional - see license below) | CON-SBS-SVC2 |
| | RV016 | 16-port Multi-WAN VPN Router (Cisco ProtectLink Web optional - see license below) | CON-SBS-SVC2 |
| | SR520-T1-K9 | Cisco SR520-T1 Secure Router — T1 — US/Canada ONLY | CON-SBS-SVC3 |
| | L-SR520-T1-SEC | Security Feature License for Cisco SR520-T1 Secure Router | None |
| Wireless | RV110W | Wireless-N VPN Firewall, 4-port, Fast Ethernet, IPSec VPN | CON-SBS-SVC2 |
| | RV120W | Wireless-N VPN Firewall, 4-port, Fast Ethernet, IPSec VPN, site to site VPN | CON-SBS-SVC2 |
| | WRVS4400N | Wireless-N Gigabit VPN Security Router (Cisco ProtectLink Web optional - see license below) | CON-SBS-SVC2 |
| | RV220W | Network Security Wireless-N Firewall, 4-Port Gigabit, IPSec/SSL VPN (Cisco ProtectLink Web optional – see license below) | CON-SBS-SVC2 |
| ProtectLink License | L-PL-WEB-1= | Cisco ProtectLink Web with Unlimited Web Threat + URL Filtering, 1 year | None |
| | L-PL-WEB-3= | Cisco ProtectLink Web with Unlimited Web Threat + URL Filtering, 3 years | None |

| Wireless | | | |
|----------------------|----------------------|--|--------------|
| Router | RV110W | Wireless-N VPN Firewall, 4-port, Fast Ethernet, IPSec VPN | CON-SBS-SVC2 |
| | RV120W | Wireless-N VPN Firewall, 4-port, Fast Ethernet, IPSec VPN, site to site VPN | CON-SBS-SVC2 |
| | WRVS4400N | Wireless-N Gigabit VPN Security Router | CON-SBS-SVC2 |
| | RV220W | Network Security Wireless-N Firewall, 4-Port Gigabit, IPSec/SSL VPN (Cisco ProtectLink Web optional – see license below) | CON-SBS-SVC2 |
| Access Points | WAP200 | Wireless-G Access Point with PoE support and RangeBooster | CON-SBS-SVC1 |
| | WAP2000 | Wireless-G Access Point with PoE support | CON-SBS-SVC1 |
| | WAP200E | Wireless-G Exterior Access Point with PoE support | CON-SBS-SVC2 |
| | WAP4410N | Wireless-N Access Point with PoE support | CON-SBS-SVC1 |
| | AP541N | Selectable Dual Band 802.11n Clustering Access Point | CON-SBS-SVC2 |
| Bridge | WET200 | Wireless-G Business Ethernet Bridge | CON-SBS-SVC1 |
| Storage | | | |
| Desktop | NSS322D00-K9 | 2-Bay Smart Storage | CON-SBS-SVC3 |
| | NSS322D02-K9 | 2-Bay Smart Storage with two 1TB Hard Drives | CON-SBS-SVC3 |
| | NSS322D04-K9 | 2-Bay Smart Storage with two 2TB Hard Drives | CON-SBS-SVC3 |
| | NSS324D00-K9 | 4-Bay Smart Storage | CON-SBS-SVC3 |
| | NSS324D04-K9 | 4-Bay Smart Storage with four 1TB Hard Drives | CON-SBS-SVC3 |
| | NSS324D08-K9 | 4-Bay Smart Storage with four 2TB Hard Drives | CON-SBS-SVC3 |
| | NSS326D00-K9 | 6-Bay Smart Storage | CON-SBS-SVC3 |
| | NSS326D06-K9 | 6-Bay Smart Storage with six 1TB Hard Drives | CON-SBS-SVC4 |
| | NSS326D12-K9 | 6-Bay Smart Storage with six 2TB Hard Drives | CON-SBS-SVC4 |
| Storage Accessories | | | |
| | HDT020 | Hard Drive Tray | CON-SBS-SVC1 |
| | HDT021 | Hard Drive Tray with 1TB Hard Drive | CON-SBS-SVC3 |
| | HDT022 | Hard Drive Tray with 2TB Hard Drive | CON-SBS-SVC3 |
| | NSS030 | External Power Adapter for NSS322 Smart Storage | None |
| Security | | | |
| Appliance | SA520-K9 | SA520 Security Appliance (for optional Cisco ProtectLink, SSL and IPS - see licenses below) | CON-SBS-SVC2 |
| | SA520W-K9 | SA520W Security Appliance with Wireless-N (for optional Cisco ProtectLink, SSL and IPS - see licenses below) | CON-SBS-SVC2 |
| | SA540-K9 | SA540 Security Appliance with High Performance (for optional Cisco ProtectLink and IPS - see licenses below) | CON-SBS-SVC2 |
| | SA520-WEB-BUN3-K9 | SA520 Security Appliance UTM Bundle (IPS and ProtectLink Web, 3 years) | CON-SBS-SVC2 |
| | SA520-GW25-BUN3-K9 | SA520 Security Appliance UTM Bundle (IPS and ProtectLink Gateway, 25 users, 3 years) | CON-SBS-SVC2 |
| | SA520-GW100-BUN3-K9 | SA520 Security Appliance UTM Bundle (IPS and ProtectLink Gateway, 100 users, 3 years) | CON-SBS-SVC2 |
| | SA520W-WEB-BUN3-K9 | SA520W Security Appliance Wireless UTM Bundle (IPS and ProtectLink Web, 3 years) | CON-SBS-SVC2 |
| | SA520W-GW25-BUN3-K9 | SA520W Security Appliance Wireless UTM Bundle (IPS and ProtectLink Gateway, 25 users, 3 years) | CON-SBS-SVC2 |
| | SA520W-GW100-BUN3-K9 | SA520W Security Appliance Wireless UTM Bundle (IPS and ProtectLink Gateway, 100 users, 3 years) | CON-SBS-SVC2 |
| | SA540-WEB-BUN3-K9 | SA540 Security Appliance High Performance UTM Bundle (IPS and ProtectLink Web, 3 years) | CON-SBS-SVC2 |
| | SA540-GW25-BUN3-K9 | SA540 Security Appliance High Performance UTM Bundle (IPS and ProtectLink Gateway, 25 users, 3 years) | CON-SBS-SVC2 |
| | SA540-GW100-BUN3-K9 | SA540 Security Appliance High Performance UTM Bundle (IPS and ProtectLink Gateway, 100 users, 3 years) | CON-SBS-SVC2 |

| | | | |
|---|---|--|--------------|
| Router(Wired) | RVS4000 | 4-Port Gigabit Security Router with VPN (Cisco ProtectLink Web optional - see license below) | CON-SBS-SVC2 |
| | RV042 | 10/100 4-Port VPN Router (Cisco ProtectLink Web optional - see license below) | CON-SBS-SVC2 |
| | RV082 | 10/100 8-Port VPN Router (Cisco ProtectLink Web optional - see license below) | CON-SBS-SVC2 |
| | RV016 | 16-port Multi-WAN VPN Router (Cisco ProtectLink Web optional - see license below) | CON-SBS-SVC2 |
| | SR520-T1-K9 | Cisco SR520-T1 Secure Router — T1 — US/Canada ONLY | CON-SBS-SVC3 |
| | L-SR520-T1-SEC | Security Feature License for SR 520-T1 | None |
| Services | CON-BLK1-50U | SW + Support Subscription NBD Cisco Spam & Virus Blocker 50 Users, 1 year | None |
| | CON-BLK1-100U | SW + Support Subscription NBD Cisco Spam & Virus Blocker 100 user, 1 year | None |
| | CON-BLK1-250U | SW + Support Subscription NBD Cisco Spam & Virus Blocker 250 user, 1 year | None |
| ProtectLink License | L-PL-WEB-1= | Cisco ProtectLink Web with Unlimited Web Threat + URL Filtering, 1 year | None |
| | L-PL-WEB-3= | Cisco ProtectLink Web with Unlimited Web Threat + URL Filtering, 3 years | None |
| | L-PLGW-25MAX-1= | Cisco ProtectLink Gateway with Unlimited Web + 25 Max Email Seats, 1 year | None |
| | L-PLGW-25MAX-3= | Cisco ProtectLink Gateway with Unlimited Web + 25 Max Email Seats, 3 years | None |
| | L-PLGW-100MAX-1= | Cisco ProtectLink Gateway with Unlimited Web + 100 Max Email Seats, 1 year | None |
| | L-PLGW-100MAX-3= | Cisco ProtectLink Gateway with Unlimited Web + 100 Max Email Seats, 3 years | None |
| | L-PLEP-5= | Cisco ProtectLink Endpoint incremental 5-seat license, 1 year | None |
| | L-PLEP-25= | Cisco ProtectLink Endpoint incremental 25-seat license, 1 year | None |
| | L-PLEP-5-3YR= | Cisco ProtectLink Endpoint incremental 5-seat license, 3 years | None |
| L-PLEP-25-3YR= | Cisco ProtectLink Endpoint incremental 25-seat license, 3 years | None | |
| SSL License | L-FL-SSL-SA520-K9= | SSL License for SA520 and SA 520W | None |
| IPS License | L-SA500-IPS-1YR= | IPS License for SA500 Series, 1 year | None |
| | L-SA500-IPS-3YR= | IPS License for SA500 Series, 3 years | None |
| Unified Communications and Voice Systems | | | |
| Unified Communications | UC320W-FXO-K9 | Cisco Small Business Unified Communications 320W with 4 FXO port, 1 FXO port, 4 Gigabit Ethernet LAN ports, integrated 802.11 b/g/n wireless, 24 users | CON-SBS-SVC3 |
| | UC540W-FXO-K9 | Cisco UC540, base unit, 24 user licenses for UC and integrated messaging, 4 FXO ports, 8 PoE 10/100 ports, integrated wireless, and 1 VIC slot. Upgradable to 32 max users. | CON-SBS-SVC4 |
| | UC540W-BRI-K9 | Cisco UC540, base unit, 24 user licenses for UC and integrated messaging, 2 BRI ports, 8 PoE 10/100 ports, integrated wireless, and 1 VIC slot. Upgradable to 32 max users. | CON-SBS-SVC4 |
| | UC560-FXO-K9 | Cisco UC560, base unit, 24 user licenses for UC and integrated messaging, 4 FXO ports, 4 FXS ports, 3 Layer 2-Gigabit Ethernet expansion ports, and 2 VIC slots. Upgradable to 138 max users | CON-SBS-SVC4 |
| | UC560-BRI-K9 | Cisco UC560, base unit, 24 user licenses for UC and integrated messaging, 2 BRI ports, 4 FXS ports, 3 Layer 2 Gigabit Ethernet expansion ports, and 2 VIC slots. Upgradable to 138 max users | CON-SBS-SVC4 |
| | UC560-T1E1-K9 | Cisco UC560, base unit, 24 user licenses for UC and integrated messaging, 4 FXO ports, 4 FXS ports, 3 Layer 2 Gigabit Ethernet expansion ports, 1 T1/E1 Primary Rate Interface (PRI) port, and 1 VIC slot. Upgradable to 138 max users | CON-SBS-SVC4 |



| IP Phones | | | |
|---------------------------------|--------------------|--|--------------|
| SPA300, SPA500 | SPA301-G1 | Cisco SPA301 1-Line IP Phone | CON-SBS-SVC1 |
| | SPA303-G1 | Cisco SPA303 3-Line IP Phone | CON-SBS-SVC1 |
| | SPA525G2 | 5 Line IP Phone with Color Display, PoE, 802.11g, Bluetooth, Mobile Link | CON-SBS-SVC1 |
| | SPA501G | 8 Line IP Phone With PoE and PC Port | CON-SBS-SVC1 |
| | SPA502G | 1 Line IP Phone With Display, PoE, PC Port | CON-SBS-SVC1 |
| | SPA504G | 4 Line IP Phone With Display, PoE and PC Port | CON-SBS-SVC1 |
| | SPA508G | 8 Line IP Phone With Display, PoE and PC Port | CON-SBS-SVC1 |
| | SPA509G | 12 Line IP Phone With Display, PoE and PC Port | CON-SBS-SVC1 |
| | SPA500S | 32 Button Attendant Console for Cisco SPA 500 Series Phones | CON-SBS-SVC1 |
| Voice Gateways | | | |
| IP Centrex | SPA3102-xx | Single Port Router with 1 Phone Port and 1 FXO Port | CON-SBS-SVC2 |
| | WRP400-xx | Wireless-G Broadband Router with 2 Phone Ports | CON-SBS-SVC2 |
| SPA8800 and SIP | SPA8800 | SPA8800 IP Telephony Gateway with 4 FXS and 4 FXO ports | CON-SBS-SVC2 |
| SPA100 Series | SPA112 | 2 Port Phone Adapter | CON-SBS-SVC1 |
| | SPA122 | Analog Telephone Adapter (ATA) with Router | CON-SBS-SVC1 |
| Voice Upgrades and Accessories | | | |
| SPA900 and SPA500 Series | PA100-xx | Power Supply for Linksys VoIP Products - 5V/2A | None |
| | POES5 | 5 Volt Power Over Ethernet Splitter | None |
| | MB100 | Wall Mount Bracket for Linksys 900 Series Phones | None |
| UC540 / UC560 | L-UC-PRO-8U= | E-delivery license for Cisco UC500 series, in 8-user increments | None |
| | L-SW-SCC-OPERATOR | Cisco Smart CallConnector Operator for Cisco Unified Communications 500 Series (UC540/560) | None |
| | L-SW-SCC-SERVER | Cisco Smart CallConnector Server for Cisco Unified Communications 500 Series (UC540/560) | None |
| | L-SW-SCC-8ADVANCED | Cisco Smart CallConnector Advanced Client (8 pack) for Cisco Unified Communications 500 Series (UC540/560) | None |

Support Contact Information

Small Business Support Center Contacts: http://www.cisco.com/en/US/support/tsd_cisco_small_business_support_center_contacts.html

Small Business Support Community: <http://www.cisco.com/go/smallbizsupport>



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

Cisco and the Cisco Logo are trademarks of Cisco Systems, Inc. and/or its affiliates in the U.S. and other countries. A listing of Cisco's trademarks can be found at www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1005R)