Universal 3-in-1 Pro Audio Headset Switch

Part Number: K83300WW | UPC Code: 0 85896 83300 0

Switch between three devices with one headset.

Professionals working in the office, at home or on the move frequently need to switch between audio on their laptop, phone or other devices. Whether it is taking a video call, making a phone call or listening to music, switching between different devices can be complex and time consuming.

Kensington's Universal 3-in-1 Pro Audio Headset Switch enables professionals to use a single wired or wireless headset across three different audio sources. Users can switch seamlessly between their laptop, phone or tablet, enhancing their productivity.

Compatible with platforms including Microsoft Teams, Google Meet, Zoom and WebEx, the Universal 3-in-1 Pro Audio Headset Switch features convenient push-button controls for device switching, volume control and muting to deliver a professional audio experience.

Features include:

- Universal Device Compatibility (Windows/macOS)
- Supports a Pro Desktop Setup
- Smart Technology
- Simple & Precise Audio Switching
- Mute and Volume Controls
- USB-Powered

Kensington®

Universal 3-in-1 Pro Audio Headset Switch

Part Number: K83300WW | UPC Code: 0 85896 83300 0

Universal Device Compatibility

Use your favorite headset (wired or wireless) across different devices and operating systems (Windows/macOS).

Supports a Pro Desktop Setup

Join meetings and transition to music without changing your headset - increasing your productivity and decluttering your desktop.

Smart Technology

Easily transitions between audio sources and automatically connects to one wired and two paired devices.

Simple & Precise Audio Switching

Dedicated channel buttons and LED lights provide visual confirmation of active connections.

Mute and Volume Controls

Easy to reach and see buttons.

USB-Powered

No power outlet required and includes connection cable.

Kensington®

Universal 3-in-1 Pro Audio Headset Switch

Part Number: K83300WW | UPC Code: 0 85896 83300 0

Support Page QR Code

Channel 1: USB-C input &
USB-C power (5V/0.9A)

Channel 1: Wired Device
(USB-A or USB-C)
*USB Power Source

Channel 2 and 3: Bluetooth Devices
*Pairing Button for Bluetooth Devices

Headset Button
Wired (Green)
Bluetooth (Blue)
*Pairing Button for
Bluetooth Headset

Volume
Controls

Kensington

Wired Headset Ports
3.5mm Jack | USB-C Port

Mute Button
Red = Muted
No LED = Unmuted

Universal 3-in-1 Pro Audio Headset Switch

Part Number: K83300WW | UPC Code: 0 85896 83300 0

System Requirement

Operating Systems Supported		Windows 10 or above, macOS 11 or above
Plug & Play		No Software installation required

Audio Source

Channel 1		1x USB-C (Notebook, PC, MacBook, etc.) also provides power to Audio Switch
Channel 2 & 3		2x Bluetooth (PC, phones, tablets etc.)

* Remembers previously paired devices. However, each channel can only be connected to one Bluetooth device at a time.

Audio Connections

Audio Connections		3.5mm, USB-C, USB-A, or Bluetooth
Audio Channels Supported		Stereo LR

Material Specifications

Enclosure		PC+ABS with texture
Product Color		Pantone Black C

Product Dimensions

Unit Dimensions		3.26 x 2.1 x 1.1in (83 x 53 x 27mm)
Unit Weight		0.19lbs (85g)

Packaging Dimensions

Packaging Style		Retail Box
Packaging Dimensions(Unit)		5.1 x 0.9 x 4.4in (130 x 42 x 113mm)
Packaging Weight(Unit)		0.5lbs (225g)
Packaging Content		3-in-1 Pro Audio Headset Switch, USB-C (Male) to USB-A (Male) Cable (2m, 6.5ft), USB-C (Male) to USB-A (Female) Adapter, Welcome Insert, Quick Installation Guide, Warranty Card, Compliance Sheet
Master Carton		5 pcs
Packaging Dimensions(Master)		8.7 x 5.2 x 5.1in (220 x 132 x 135mm)

Kensington
The Professionals' Choice™

FOR MORE INFORMATION CONTACT: 1-855-692-0054 | sales@kensington.com

Universal 3-in-1 Pro Audio Headset Switch

Part Number: K83300WW | UPC Code: 0 85896 83300 0

Power & Environmental

Power Adapter Rating	5V/900mA
* USB-C to USB-A cable connects to the rear USB-C port, providing both audio and power to the Audio Switch.	
Operating Temperature	0 to 50°C (32 to 122°F)
Storage Temperature	-18 to 60°C (-0.4 to 140°F)
Relative Humidity	20% to 80% non-condensing

Country of Origin, Regulatory, and Warranty

Country of Origin	China
Certifications & Compliance	FCC, IC, CE, UKCA, RCM, MIC, VCCI, BQB, RoHS, REACH, ACCO RSL
Warranty	2-Year Limited - worldwide

Kensington
The Professionals' Choice™

FOR MORE INFORMATION CONTACT: 1-855-692-0054 | sales@kensington.com